Yepeng Pan

CRYPTOGRAPHY · BLOCKCHAIN · PRIVACY ENHANCING TECHNOLOGY · ACCESS CONTROL

☑ panyepeng@gmail.com ☐ +44 0753 696 0564 in Yepeng Pan Github

EDUCATION

Sept. 2021 - Sept. 2022

MSc. in information security

University College London, UK

Expected to finish the thesis in Sept. 2022

Core courses:

- Computer security I; Computer security II;
- Introduction to cryptography; cryptocurrencies;
- · Distributed systems and security; Privacy enhancing technologies;

Sept. 2016 – June. 2020

BEng. in information security

Hunan University, China

Core courses:

- Math: Advanced mathematics; Linear algebra; Discrete mathematics; Number theory; Probability theory;
- Computer Science: Computer organization; Computer network; Operating system; Data structure; Digital circuit and logic design;
- · Information Security: Cryptography; Network security; Software security; Trustworthy system;
- Weighted Average: 88.1 / 100

RESEARCH EXPERIENCE

Feb. 2020 - June. 2020

Privacy preserving cloud image retrieval system

Followed up and improved a recent research about encrypted image retrieval system working on the cloud that could preserve user privacy.

Brief introduction of the system:

- This system aims to solve the problem that in a cloud image retrieval system, the cloud server could
 analyse user's requests and damage user privacy.
- This system uses compressed binary CNN fully connected layer outputs to represent image features,
 and uses the distance among image features as the classification basis to generate a tree for retrieval.
 By encrypting the tree and user's requests with random matrix, the cloud server can only use encrypted
 features to calculate distance between user's request and tree nodes during the retrieval process, and
 thus the system can preserve user privacy.

Completed improvements:

- Because the original system's tree generation process only merges nodes with high similarity, the
 subtrees of the generated tree may have obvious height differences, and it will leads to low accuracy
 since the features of nodes with small depth in the tree will become vague. By involving new threshold
 and check process, the system will get a chance to merge nodes with low similarity at the right time.
 Experiments show that the accuracy of the modified system is 8% higher than that of the original
 system on average, and when more categories of images are used, the accuracy gap between the
 modified system and the original system is more obvious.
- The original system's retrieval process will only pick one node which has the smallest distance with user's request at each level, so the original system doesn't perform well when there are similar nodes at the same level. By involving more (Experiments shows that the maximum of 3 nodes perform the best) similar nodes into consideration, modified system could reach higher accuracy.

Further improvements:

• It is inevitable that the features of nodes will become more vague during the tree generation process, and it will get worse if there are more categories of images involved, so that using tags during the tree generation process may achieve higher accuracy and it can also simplify the retrieval process.

Yepeng Pan Curriculum Vitæ

Apr. 2019 - May. 2019

An investigation on the security of DNS servers in China

Analysed 500 DNS servers' responses towards 20 different domain names with traceroute, nslookup and wireshark.

Brief introduction:

 This research tests 500 DNS servers provided by Hunan university, Google, and different ISPs in China. The 20 tested domain names include 15 common domain names in China, 3 domain names of Google and 2 inexistent domain names. By analysing these DNS servers' reply, a series of DNS security problems has been found.

Conclusion:

- Different ISPs in China have different strategies toward inexistent domain names. DNS server
 provided by China Mobile will direct users to its ads page if requested domain name doesn't exist
 while other ISPs will not.
- ISPs used to use DNS hijack to direct users to a new website with iframe that contains the original
 page to feed ads, which has become rare, possibly due to the wide use of content security policy and
 X-Frame-Options.
- A small amount (3 out of 28) of DNS servers provided by China railway telcom and DNS servers
 provided by Hunan university can resolve all domain names correctly, while all DNS servers provided
 by other ISPs will give false replies toward domain names of Google.
- When users assign "8.8.8.8" as their DNS server and query domain names of Google, ISPs will analyse
 their requests and reply a false IP before the real DNS server.
- Though DoH(DNS over Https) can stop ISPs from analysing users' queries, due to the small amount of DNS servers that accept DoH, it is still easy for ISPs to ban or substitute these DNS servers.

PROJECT

Apr. 2019 - May. 2019

DNS attack simulation

Simulated different methods of DNS attacks and evaluated some approaches that could mitigate these attacks.

Attack analysed:

- · Local DNS server cache poison
- · DNS hijack based on arp spoofing

Evaluated approaches:

- If local DNS server uses random UDP ports for DNS queries, attackers only have slightly chance $(\frac{1}{2^{48}})$ to figure out the correct DNS query id and UDP port at the same time, and thus the possibility that the local DNS server will receive false responses from attackers is very small.
- Instead of using UDP to have DNS queries, DoT(DNS over TLS) and DoH(DNS over Https) can both
 encrypt DNS queries and the encrypted traffic is mixed with other normal traffic, which makes it
 difficult for attackers to figure out and analyse users' DNS queries.

Apr. 2019 - Apr. 2019

Attack on PUF

PUF(physical unclonable function) is a kind of security chip that could generate unclonable output by using process variation. This projet aimed to use different machine learning models(LR, SVM, CMA-ES) to predict the output of PUF. Experiments showed that LR, SVM, CMA-ES can all predict PUF's output precisely.

Mar. 2019 - Apr. 2019

Layer 3 switch design

Effectuated a switch with basic traffic forwarding function and ARP table updating function with Verilog. By evaluating the traffic (frequency and quantity of ARP packets and conflicts with original arp table) the switch could also detect potential ARP attacks.

Feb. 2019 - Mar. 2019

Malicious traffic analysis

Analysed suspicious traffic of common attacks and found out their features.

Suspicious traffic analysed:

- · Traffic of DNS amplification attack
- · Traffic of SYN flood attack
- · Traffic of slow Dos attack

Yepeng Pan Curriculum Vitæ

Oct. 2018 - Dec. 2018

Encryption tool development

This project implemented an encryption tool with a series of encryption algorithms, basic key exchange function and signature function.

Implemented algorithms:

· Symmetric cryptography: DES, AES

• Stream cipher: RC4

· Asymmetric cryptography: RSA

Hash: SHA-1, MD5Key exchange: DH

Sept. 2018 - Nov. 2018

Privilege and app control plug-in for android

Implemented a plug-in of Xposed framework which could monitor all applications and control their behaviors. This plug-in could monitor/audit/block sensitive API calls related to user privacy by hooking all these APIs. Blacklist and whitelist were also involved in this plug-in to help manage applications.

June. 2018 - Aug. 2018

FPGA design

Implemented a series of functions with different sensors, buttons and LED display.

Implemented function list:

- · Reversing radar (using ultrasonic sensor)
- · IR remote control
- · Coded lock
- · Detector with optical sensor and thermal sensor

Dec. 2017 - Jan. 2018

Basic CPU implementation

Implemented a basic CPU with VHDL that could execute a series of instructions stored in the memory.

Implemented function list:

- Two-stage pipeline
- Implemented components (ALU, AGU, register, decoder, instruction cache, etc.)
- Memory read & write (mov)
- Basic arithmetic operations (add, sub, inc, cmp, imul)
- Basic logic operations (and, or, xor, not, shl, sal, shr, sar)
- · Basic control operations (mov, jmp, cmp, etc.)

WORK EXPERIENCE

Nov. 2020 - Apr. 2021

NIO Inc

Information Security R&D Engineer

- · Managed security devices (including the management of DLP, firewall, fortress machine, etc.);
- · Developed terminal management application;
- · Developed automation scripts;

July. 2019 – Aug. 2019

Heetian Ltd

Information Security R&D Engineer

Implemented three online courses on the Heetian lab platform:

- · Basic web security problems (XSS, CSRF, SQL injection and click hijack);
- Basic reverse analysis (Stack overflow vulnerabilities and existing solutions);
- · C++ vulnerabilities analysis (Virtual function vulnerability, Heap vulnerabilities, Vulnerable functions);

Honors

Dec. 2019 First class scholarship (2/62)
Sept. 2019 Postgraduate recommendation (6/62)

Jan. 2017 Third prize of programming competition (10/230)

Hunan University

Hunan University

Hunan University

Yepeng Pan Curriculum Vitæ

Programming Skills

- C & C++
- VHDL & Verilog
- Python
- Go